

SUMMA, ALLAN
& ADDITON, P.A.
PATENT ATTORNEYS

RECEIVED
CENTRAL FAX CENTER

OCT 24 2005

11610 NORTH COMMUNITY HOUSE RD.
SUITE 200
BALLANTYNE CORPORATE PARK
CHARLOTTE, NC 28277-2199
T: 704.945.6700
F: 704.945.6735
W: WWW.SUMMALAW.COM

FACSIMILE TRANSMITTAL SHEET

TO: Commissioner for Patents

FROM: Philip Summa

FAX NUMBER:
1-571-273-8300

TOTAL NO. OF PAGES INCLUDING COVER:
17

PHONE NUMBER:

SENDER'S REFERENCE NUMBER:
1700.125

RE: Serial No. 10/065,851

YOUR REFERENCE NUMBER:

☐ URGENT ☐ FOR REVIEW ☐ PLEASE COMMENT ☐ PLEASE REPLY ☐ PLEASE RECYCLE

NOTES/COMMENTS:

OFFICIAL

Attached please find a Response to the Office Action dated August 1, 2005.

CONFIDENTIALITY NOTE

The information contained in this facsimile message is legally privileged and confidential. It is intended only for the use of the above-named individual or entity. If you are the reader of this message and are not the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this facsimile is strictly prohibited. If you have received this facsimile in error, please immediately notify us by phone and return the original message to us at the address above via the United States Postal Service. Thank you.

S:\FIRM DOCS\FAX COVERS\2005SAA.DOC

RECEIVED
CENTRAL FAX CENTER

OCT 24 2005

Attorney Docket No. 1700.125
Confirmation No. 3373

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re: William E. Jennings

Group Art Unit: 1743

Serial No.: 10/065,851

Filed: November 26, 2002

For: PRESSURE MEASUREMENT AND RELIEF FOR
MICROWAVE-ASSISTED CHEMICAL REACTIONS

October 24, 2005

Commissioner for Patents
Alexandria, VA 22313-1450

Response

Sir:

This is in response to the Official Action mailed August 1, 2005.

Amendments to the specification begin on Page 2.

Amendments to the claims begin on Page 3.

Corrected drawings are enclosed on one (1) separate sheet.

THE REMAINDER OF THIS PAGE IS INTENTIONALLY LEFT BLANK